

引用・参考文献	該当頁
1) Philippe Bergeron and Pierre Lachapelle : Controlling facial expressions and body movements in the computer-generated animated short: Tony de peltrie, SIGGRAPH '85	13
2) J. P. Lewis, Matt Cordner, and Nickson Fong : Pose space deformation: A unified approach to shape interpolation and skeleton-driven deformation, Proceedings of SIGGRAPH 2000,	20
3) Charles F. Rose, Peter-Pike J. Sloan, and Michael F. Cohen : Artistdirected inverse-kinematics using radial basis function interpolation, Computer Graphics Forum, 20, 3, pp.	28
4) Thomas W. Sederberg and Scott R. Parry : Free-form deformation of solid geometric models, Proceedings of SIGGRAPH 86, pp. 151–160 (1986)	30
5) Michael S. Floater : Mean value coordinates, Computer Aided Geometric Design, 20, 1, pp. 19–27 (2003)	34
6) Tao Ju, Scott Schaefer, and Joe Warren : Mean value coordinates for closed triangular meshes, ACM Transactions on Graphics, 24, 3, pp. 561–566 (2005)	34
7) Pushkar Joshi, Mark Meyer, Tony DeRose, Brian Green, and Tom Sanocki : Harmonic coordinates for character articulation, ACM Transactions on Graphics, 26, 3, pp. 71:1–71:10	34
8) Yaron Lipman, David Levin, and Daniel Cohen-Or : Green coordinates, ACM Transactions on Graphics, 27, 3, pp. 78:1–78:10 (2008)	34
9) Alec Jacobson, Zhigang Deng, Ladislav Kavan, and J. P. Lewis : Skinning: Real-time shape deformation, In SIGGRAPH 2014 Courses (2014)	34
10) David M. Boug 著, 榊原一矢 監訳 : ゲーム開発のための物理シミュレーション入門, オーム社(2003)	38
11) Matthias Müller, Jos Stam, Doug James, and Nils Thürey : Real time physics: Class notes, In SIGGRAPH 2008 Courses, pp. 88:1–88:90 (2008)	38, 41
12) 加古孝 : 数値計算 (コンピュータサイエンス教科書シリーズ) , コロナ社(2009)	39
13) Brian Mirtich and John Canny : Impulse-based simulation of rigid bodies, Symposium on Interactive 3D Graphics, pp. 181–188 (1995)	42
14) David Baraff : Analytical methods for dynamic simulation of non-penetrating rigid bodies, Computer Graphics, 23, 3, pp. 223–232 (1989)	42
15) Eran Guendelman, Robert Bridson, and Ronald Fedkiw : Nonconvex rigid bodies with stacking, ACM Transactions on Graphics, 22, 3, pp. 871–878 (2003)	42
16) Philipp K. Janert 著, 野原勉 監訳, 星義克, 米元謙介 訳 : エンジニアのためのフィードバック制御入門, オライリージャパン(2014)	43, 44
17) Tina O’Hailey : Maya リギング改訂版—正しいキャラクターリグの作り方—, ボーンデジタル(2019)	45
18) 梅谷信行 : 12 章—CG のための有限要素法ミニマム, Computer Graphics Gems JP 2012, ボーンデジタル(2012)	48
19) Ilya Baran and Jovan Popović : Automatic rigging and animation of 3D characters, ACM Transactions on Graphics, 26, 3, pp. 72:1–72:8 (2007)	51
20) Olivier Dionne and Martin de Lasa : Geodesic binding for degenerate character geometry using sparse voxelization, IEEE Transactions on Visualization and Computer Graphics, 20, 10, pp. 1367–1378 (2014)	51
21) Elmar Eisemann and Jean-Marc Thiery : Araplbs: Robust and efficient elasticity-based optimization of weights and skeleton joints for linear blend skinning with parameterized bones, Computer Graphics Forum, 37, 1, pp. 32–44 (2018)	51
22) Binh H. Le and Zhigang Deng : Smooth skinning decomposition with rigid bones, ACM Transactions on Graphics, 31, 6, pp. 199:1–199:10 (2012)	51
23) Binh H. Le and Zhigang Deng : Robust and accurate skeletal rigging from mesh sequences, ACM Transactions on Graphics, 33, 4, pp. 84:1–84:10 (2014)	51
24) Tomohiko Mukai : Sampling-based rig conversion into non-rigid helper transformations, Proceedings of ACM on Computer Graphics and Interactive Techniques, 1, 1, pp. 13:1–	51

引用・参考文献	該当頁
25) Xuecheng Liu, TianluMao, Shihong Xia, Yong Yu, and ZhaoqiWang : Facial animation by optimized blendshapes from motion capture data, Computer Animation and Virtual Worlds, 19, 3–4, pp. 235–245 (2008)	51
26) Hao Li, Thibaut Weise, and Mark Pauly : Example-based facial rigging, ACM Transactions on Graphics, 29, 4, pp. 32:1–32:12 (2010)	51
27) Chuhua Xian, Hongwei Lin, and Shuming Gao : Automatic cage generation by improved obbs for mesh deformation, The Visual Computer, 28, 1 (2012)	51
28) Xiaosong Yang, Jian Chang, Richard Southern, and Jian J. Zhang : Automatic cage construction for retargeted muscle fitting, The Visual Computer, 29, 5 (2013)	51
29) Binh Huy Le and Zhigang Deng : Interactive cage generation for mesh deformation, Proceedings of ACM SIGGRAPH Symposium on Interactive 3D Graphics and Games, pp.	51
30) 栗原恒弥, 安生健一 : 3DCG アニメーション—基礎から最先端まで—, 技術評論社 (2003)	51
31) Fletcher Dunn, Ian Parberry著, 松田晃一訳 : 実例で学ぶゲーム3D 数学, オライリージャパン(2008)	52, 201
32) 伊藤大雄 : データ構造とアルゴリズム (コンピュータサイエンス教科書シリーズ) , コロナ社(2017)	65
33) 伊藤毅志, 保木邦仁, 三宅陽一郎 : ゲーム情報学概論—ゲームを切り拓く人工知能—, コロナ社(2018)	70, 188
34) Alex Mohr and Michael Gleicher : Building efficient, accurate character skins from examples, ACM Transactions on Graphics, 22, 3, pp. 562–568 (2003)	71
35) Jason Parks : Helper joints: Advanced deformations on runtime characters, In Game Developers Conference (2005)	71
36) Jubok Kim and Choong H. Kim : Implementation and application of the real-time helper-joint system, In Game Developers Conference (2011)	71
37) David Eberly : A fast and accurate algorithm for computing slerp, Journal of Graphics, GPU, and Game Tools, 15, 3, pp. 161–176 (2011)	89
38) Myoung J. Kim, Myung S. Kim, and Sung Y. Shin : A general construction scheme for unit quaternion curves with simple high order derivatives, Proceedings of SIGGRAPH 95, pp. 369–376 (1995)	91
39) Samuel R. Buss and Jay P. Fillmore : Spherical averages and applications to spherical splines and interpolation, ACM Transactions on Graphics, 20, 2, pp. 95–126 (2001)	91
40) Xiaohuan Corina Wang and Cary Phillips : Multi-weight enveloping: Leastsquares approximation techniques for skin animation, Proceedings of ACM SIGGRAPH/Eurographics Symposium on Computer Animation, pp. 129–138 (2002)	95
41) Ladislav Kavan and Jiri Zara : Spherical blend skinning: A real-time deformation of articulated models, Proceedings of ACM SIGGRAPH Symposium on Interactive 3D Graphics and Games 2005, pp. 9–16 (2005)	95
42) Ladislav Kavan, Steven Collins, Jiri Zara, and Carol O’Sullivan : Skinning with dual quaternions, Proceedings of ACM SIGGRAPH Symposium on Interactive 3D Graphics 2007, pp. 39–46 (2007)	95
43) Binh Huy Le and Jessica K. Hodgins : Real-time skeletal skinning with optimized centers of rotation, ACM Transactions on Graphics, 35, 4, pp. 37:1–37:10 (2016)	95
44) Alec Jacobson and Olga Sorkine : Stretchable and twistable bones for skeletal shape deformation, ACM Transactions on Graphics, 30, 6, pp. 165:1–165:7 (2011)	95
45) Ladislav Kavan and Olga Sorkine : Elasticity-inspired deformers for character articulation, ACM Transactions on Graphics, 31, 6, pp. 196:1–196:8 (2012)	95
46) Robert Y. Wangand, Kari Pulli, and Jovan Popović : Real-time enveloping with rotational regression, ACM Transactions on Graphics, 26, 3, p.73 (2007)	95

引用・参考文献	該当頁
47) Joe Mancewiczand, Matt L. Derksen, Hans Rijpkema, and Cyrus A. Wilson : Delta mush: Smoothing deformations while preserving detail, Proceedings of Symposium on Digital Production, pp. 7–11 (2014)	95
48) Binh H. Le and J. P. Lewis : Direct delta mush skinning and variants, ACM Transactions on Graphics, 38, 4, pp. 113:1–113:13 (2019)	95
49) Stephen W. Bailey, Dave Otte, Paul Dilorenzo, and James F. O’Brien : Fast and deep deformation approximations, ACM Transactions on Graphics, 37, 4, pp. 119:1–119:12	95
50) Alexis Angelidis and Karan Singh : Kinodynamic skinning using volumepreserving deformations, Proceedings of ACM SIGGRAPH/Eurographics Symposium on Computer Animation 2007, pp. 129–140 (2007)	95
51) Sang Il Park and Jessica K. Hodgins : Data-driven modeling of skin and muscle deformation, ACM Transactions on Graphics, 27, 3, pp. 96:1–96:6 (2008)	95
52) Tomohiko Mukai and Shigeru Kuriyama : Efficient dynamic skinning with low-rank helper bone controllers, ACM Transactions on Graphics, 35, 4, pp. 36:1–36:11 (2016)	95
53) David Bollo : Inertialization: High-performance animation transitions in ‘Gears of War’, In Game Developers Conference (2018)	120
54) 伊藤宏司 : 身体知システム論—ヒューマンロボティクスによる運動の学習と制御—, 共立出版(2005)	121
55) Jehee Lee, Jinxiang Chai, Paul S. A. Reitsma, Jessica K. Hodgins, and Nancy S. Pollard : Interactive control of avatars animated with human motion data, ACM Transactions on Graphics, 21, 3, pp. 491–500 (2002)	134
56) Hyun Joon Shin and Hyun Seok Oh : Fat graphs: Constructing an interactive character with continuous controls, Proceedings of ACM SIGGRAPH/Eurographics Symposium on Computer Animation 2006, pp. 291–298 (2006)	134
57) Rachel Heck and Michael Gleicher : Parametric motion graphs, Proceedings of ACM SIGGRAPH Symposium on Interactive 3D Graphics and Games 2007, pp. 129–136 (2007)	134
58) Alla Safonova and Jessica K. Hodgins : Construction and optimal search of interpolated motion graphs, ACM Transactions on Graphics, 27, 3, p. 106 (2007)	134
59) Liming Zhao and Alla Safonova : Achieving good connectivity in motion graphs, Proceedings of ACM SIGGRAPH/Eurographics Symposium on Computer Animation 2008,	134
60) Philippe Beaudoin, Stelian Coros, Michiel van de Panne, and Pierre Poulin : Motion-motif graphs, Proceedings of ACM SIGGRAPH/Eurographics Symposium on Computer Animation 2008, pp. 117–126 (2008)	134
61) Jianyuan Min and Jinxiang Chai : Motion graphs++: A compact generative model for semantic motion analysis and synthesis, ACM Transactions on Graphics, 31, 6, pp. 153:1–	134
62) Lucas Kovar, Michael Gleicher, and Frédéric Pighin : Motion graphs, ACM Transactions on Graphics, 21, 3, pp. 473–482 (2002)	134
63) Simon Clavet : Motion matching and the road to next-gen animation, In Game Developers Conference (2016)	138
64) Jason Gregory 著, 大貫宏美, 田中幸 訳, 今給黎隆, 湊和久 監修 : ゲームエンジン・アーキテクチャ第2版, SBクリエイティブ(2015)	139
65) Jing Wang and Bobby Bodenheimer : Synthesis and evaluation of linear motion transitions, ACM Transactions on Graphics, 27, 1, p. 1 (2008)	139
66) Leslie Ikemoto, Okan Arikan, and David Forsyth : Quick transitions with cached multi-way blends, Proceedings of ACM SIGGRAPH Symposium on Interactive 3D Graphics and Games 2007, pp. 145–151 (2007)	139
67) Yuki Koyama and Masataka Goto : Precomputed optimal one-hop motion transition for responsive character animation, The Visual Computer, 35, 6–8, pp. 1131–1142 (2019)	139
68) Charles Rose, Brian Guenter, Bobby Bodenheimer, and Michael F.Cohen : Efficient generation of motion transitions using spacetime constraints, Proceedings of SIGGRAPH 96,	139
69) Cheng Ren, Liming Zhao, and Alla Safonova : Human motion synthesis with optimization-based graphs, Computer Graphics Forum, 29, 2, pp. 545–554 (2010)	139

引用・参考文献	該当頁
70) James McCann and Nancy Pollard : Responsive characters from motion fragments, ACM Transactions on Graphics, 27, 3, p. 6 (2007)	140
71) Adrien Treuille, Yongjoon Lee, and Zoran Popović : Near-optimal character animation with continuous control, ACM Transactions on Graphics, 27, 3, p. 7 (2007)	140
72) Yongjoon Lee, Kevin Wampler, Gilbert Bernstein, Jovan Popović, and Zoran Popović : Motion fields for interactive character animation, ACM Transactions on Graphics, 29, 5, p.	140
73) Michael Buttner : Reinforcement learning based character locomotion in hitman: Absolution, In Game Developers Conference (2013)	140
74) Daniel Holden, Taku Komura, and Jun Saito : A deep learning framework for character motion synthesis and editing, ACM Transactions on Graphics, 35, 4, pp. 138:1–138:11	140
75) Daniel Holden, Taku Komura, and Jun Saito : Phase-functioned neural networks for character control, ACM Transactions on Graphics, 36, 4, pp. 42:1–42:13 (2016)	140
76) Xue B. Peng, Pieter Abbeel, Sergey Levine, and Michiel van de Panne : Deepmimic: Example-guided deep reinforcement learning of physics-based character skills, ACM Transactions on Graphics, 37, 4, pp. 143:1–143:14 (2018)	140
77) Sam Hocevar : Beautiful maths simplification: quaternion from two vectors (2013), http://lolengine.net/blog/2013/09/18/beautiful-maths-quaternion-from-vectors	146
78) Sam Hocevar : Quaternion from two vectors: the final version (2014), http://lolengine.net/blog/2014/02/24/quaternion-from-two-vectors-final	146
79) Chris Welman : Inverse kinematics and geometric constraints for articulated figure manipulation, Master's thesis, Simon Fraser University (1993)	152
80) Andreas Aristidou and Joan Lasenby : FABRIK: A fast, iterative solver for the inverse kinematics problem, Graphical Models, 73, 5, pp. 243–260 (2011)	153
81) Thomas Jakobsen : Advanced character physics, In Game Developers Conference (2001), https://web.archive.org/web/20021208133159/http://www.ioi.dk/Homepages/thomasj/publications/gdc2001.htm https://www.researchgate.net/publication/228599597_Advanced_character_physics	153
82) Andrew Witkin and David Baraff : Physically based modeling: Principles and practice, Online Siggraph '97 Course notes (1997), https://www.cs.cmu.edu/~baraff/sigcourse/	159
83) Pawel Wrotek, Odest C. Jenkins, and Morgan McGuire : Dynamo: Dynamic, data-driven character control with adjustable balance, Sandbox '06: Proceedings of ACM SIGGRAPH Symposium on Videogames 2006, pp. 61–70 (2006)	165
84) Stephen Frye : Tackling physics, In Game Developers Conference (2012)	165
85) Khaled Mamou : Volumetric hierarchical approximate convex decomposition, In Eric Lengyel, editor, Game Engine Gems 3, pp. 141–158, A K Peters (2016)	168
86) Ming C. Lin and Dinesh Manocha : Collision detection and proximity query packages, The University of North Carolina at Chapel Hill, 1997–2003, http://gamma.cs.unc.edu/research/collision/packages.html	171
87) Damian Isla and Bruce Blumberg : Blackboard Architectures, AI Game Programming Wisdom, 1, 7.1, pp. 333–344 (2002)	181
88) 三宅陽一郎 : 人工知能の作り方, 技術評論社(2016)	184
89) 三宅陽一郎 : デジタルゲームにおける人工知能技術の応用の現在, 人工知能学会誌, 30, 1 (2015)	186
90) 今村紀之, 川地克明 : FINAL FANTASY XV –EPISODE DUSCAE– のアニメーション～接地感向上のためのとりくみ～, In CEDEC (2015)	186
91) 「FFXV –EPISODE DUSCAE–」のAI & アニメはどう作られたか?, Game Watch (2015), https://game.watch.impress.co.jp/docs/news/718117.html	187
92) 上段達弘, 下川和也, 高橋光佑, 並木幸介 : FINAL FANTASY XVにおけるレベルメタAI制御システム, In CEDEC (2016)	187

引用・参考文献	該当頁
93) 三宅陽一郎：大規模ゲームにおける人工知能—ファイナルファンタジーXVの実例をもとに—, 人工知能学会誌, 32, 2 (2017)	188
94) 株式会社スクウェア・エニックス『FFXV』AIチーム：FINAL FANTASY XVの人工知能—ゲームAIから見える未来—, ボーンデジタル(2019)	190, 199
95) Bobby Anguelov and Ben Sunshine-Hill：Managing the movement: Getting your animation behaviors to behave better, In Game Developers Conference (2013)	190, 191
96) Rodney A. Brooks：A robust layered control system for a mobile robot, IEEE Journal of Robotics and Automation, 2, 1, pp. 14–23 (1986); also MIT AI Memo, 864 (1985)	192
97) 白神陽嗣, 三宅陽一郎, 並木幸介, 横山貴規：FINAL FANTASY XV –EPISODE DUSCAE–におけるキャラクターAIの意思決定システム, In CEDEC (2015)	194
98) 川地克明, 青野孝悠, 小倉孝典, Goodhue David：障害物を乗り越えるアニメーションの制御手法とその応用, In CEDEC (2017)	198
99) 三宅陽一郎：ゲームAI技術入門, 技術評論社(2019)	198
100) 金谷一朗：3DCGプログラマーのためのクォータニオン入門, I・O BOOKS (2004)	212
101) 金谷健一：3次元回転—パラメータ計算とリー代数による最適化—, 共立出版 (2019)	212, 214
102) Sebastian Grassia：Practical parameterization of rotations using the exponential map, Graphics Tools, 3, 3, pp. 29–48 (1998)	214